CITY OF NAPOLEON NOTICE TO BIDDERS

SEALED PROPOSALS WILL BE RECEIVED BY THE CITY OF NAPOLEON (THE "CITY") AT THE OFFICE OF THE CITY FINANCE DIRECTOR AT 255 WEST RIVERVIEW AVENUE, NAPOLEON, OHIO 43545 UNTIL 11:00 A.M. ON WEDNESDAY, JUNE 22, 2016 AND WILL BE OPENED AND READ PUBLICLY IMMEDIATELY THEREAFTER, FOR FURNISHING ALL LABOR, MATERIALS AND EQUIPMENT NECESSARY TO COMPLETE THE PROJECT KNOWN AS:

PROJECT NAME: PARK LANE STREET IMPROVEMENTS
(L.T.C.P. PROJECT NO. 17C & 11E ~ PARTIAL)

IN ACCORDANCE WITH THE DRAWINGS AND SPECIFICATIONS FURNISHED BY THE ARCHITECT/ENGINEER.

BIDS WILL BE RECEIVED FOR: PARK LANE STREET IMPROVEMENTS
(L.T.C.P. PROJECT NO. 17C & 11E ~ PARTIAL)

ESTIMATE OF COST - \$575,000.00

COPIES OF THE CONTRACT DOCUMENTS, TOGETHER WITH ANY FURTHER INFORMATION DESIRED, MAY BE OBTAINED AT THE CITY OF NAPOLEON ENGINEERING OFFICE, TELEPHONE NUMBER (419) 592-4010, DURING REGULAR BUSINESS HOURS (7:30 AM – 4:00 PM) COMMENCING JUNE 6, 2016. ALL CONTRACT DOCUMENTS WILL BE FORWARDED UPON RECEIPT OF A NON-REFUNDABLE DEPOSIT IN THE AMOUNT OF FIFTY DOLLARS (\$50.00) PER SET IN FAVOR OF THE CITY OF NAPOLEON.

[ALL QUESTIONS SHOULD BE DIRECTED TO THE ARCHITECT/ENGINEER: CHAD E. LULFS, P.E., P.S., CITY ENGINEER]

EACH BIDDER IS REQUIRED TO FURNISH WITH ITS PROPOSAL A BID GUARANTY AND CONTRACT BOND IN ACCORDANCE WITH SECTION 153.54 OF THE OHIO REVISED CODE. BID SECURITY FURNISHED IN BOND FORM, SHALL BE ISSUED BY A SURETY COMPANY OR CORPORATION LICENSED IN THE STATE OF OHIO TO PROVIDE SAID SURETY.

EACH PROPOSAL MUST CONTAIN THE FULL NAME OF THE PARTY OR PARTIES SUBMITTING THE PROPOSAL AND ALL PERSONS INTERESTED THEREIN. EACH BIDDER MUST SUBMIT EVIDENCE OF ITS EXPERIENCES ON PROJECTS OF SIMILAR SIZE AND COMPLEXITY. THE OWNER INTENDS AND REQUIRES THAT THIS PROJECT BE COMPLETED NO LATER THAN NOVEMBER 19, 2016.

ALL CONTRACTORS AND SUBCONTRACTORS INVOLVED WITH THE PROJECT WILL TO THE EXTENT PRACTICABLE USE OHIO PRODUCTS, MATERIALS, SERVICES, AND LABOR IN THE IMPLEMENTATION OF THEIR PROJECT. ADDITIONALLY, CONTRACTOR

COMPLIANCE WITH THE EQUAL EMPLOYMENT OPPORTUNITY REQUIREMENTS OF OHIO ADMINISTRATIVE CODE CHAPTER 123 IS REQUIRED.

BIDDERS MUST COMPLY WITH THE PREVAILING WAGE RATES ON PUBLIC IMPROVEMENTS IN HENRY COUNTY AND THE CITY OF NAPOLEON, OHIO AS DETERMINED BY THE OHIO DEPARTMENT OF COMMERCE, BUREAU OF WAGE AND HOURS ADMINISTRATION (614) 644.2239.

BY ORDER OF THE CITY COUNCIL OF NAPOLEON, OHIO:

May 26, 2016

RESOLUTION NO: 064-15	DATED: DECEMBER 07, 2015
FINANCE DIRECTOR CITY OF NAPOLEON, OHIO	DATE
Dates Advertised: May 19, 2016	

CITY OF NAPOLEON

BID FORM

PROJECT NAME: PARK LANE STREET IMPROVEMENTS
(L.T.C.P. PROJECT NO. 17C & 11E ~ PARTIAL)

THE TIME FOR COMPLETION OF THE PROJECT IS ON OR BEFORE NOVEMBER 19, 2016.

HAVING READ AND EXAMINED THE CONTRACT DOCUMENTS, INCLUDING WITHOUT LIMITATION THE DRAWINGS AND SPECIFICATIONS PREPARED BY THE ENGINEER FOR THE ABOVE-REFERENCED PROJECT, AND THE FOLLOWING ADDENDA:

ADDENDUM NO.		DATE OF RECEIPT	
	·		
		M ALL WORK FOR THE APPLICABLE Γ DOCUMENTS, FOR THE FOLLOWIN	
CONTRACT:			
TOTAL LABOR AND MATERI	AL ("BASE BID"): \$	<u> </u>	
Amount of "BASE BID" written i	in Words:		

ITEM		ESTIMATED		UNIT		
NO.	DESCRIPTION	QUANTITY	UNIT	PRICE	TOTAL	
ROAD	ROADWAY					
1	Clearing and Grubbing	1.00	LS			
2	Tree and Stump Removal (12" – 24")	13.00	EA			
3	Concrete Curb Removal	40.00	LF			
4	Concrete Pavement and Walk Removal	425.00	SY			
5	Roadway and Driveway Excavation and Embankment	1,250.00	CY			
6	Roadway Excavation – Undercutting Contingency	100.00	CY			
7	Embankment (960 W. Riverview Avenue)	5,000.00	CY			
8	Full Depth Pavement Sawing	50.00	LF			
9	Subgrade Compaction	2,225.00	SY			
10	Subgrade Stabilization Fabric	2,225.00	SY			
11	8" Aggregate Base (ODOT 304 – 2 Lifts)	500.00	CY			
12	12" Aggregate Base (ODOT 304 – 2 Lifts) Undercutting	100.00	CY			
13	3" Asphalt Concrete Base (ODOT 301 PG64-22)	150.00	CY			
14	1½" Asphalt Concrete Intermediate Course (ODOT 448 Type 2 Medium, PG64-22)	75.00	CY			
15	1½" Asphalt Concrete Surface Course (ODOT 448 Type 1 Medium, PG64-22)	75.00	CY			
16	6" Plain Portland Cement Concrete Pavement with 6" Crushed Aggregate Base	450.00	SY			
17	Type 2 Concrete Curb	1,210.00	LF			
18	6" Corrugated Polyethylene Tubing with Filter Sock (including All Fittings and No. 8 Stone Fill)	1,225.00	LF			
19	Removal/Replacement/Re-erection of Ground Mounted Sign	3.00	EA			
20	Removal/Replacement/Re-erection of Mailboxes	7.00	EA			
21	18" Wide Stop Bar	15.00	LF			
22	3" Topsoil Hauled and Placed	600.00	CY			
23	Fertilizer, Seeding and Mulching	7,200.00	SY			
24	Construction Layout Stakes	1.00	LS			
25	Maintaining Traffic	1.00	LS			
26	Mobilization	1.00	LS			
27	Stormwater Pollution Prevention Plan	1.00	LS			

ITEM	DECORPTION	ESTIMATED QUANTITY	LINITE	UNIT	тоты
NO DESCRIPTION QUANTITY UNIT PRICE TOTAL SANITARY SEWER					
28	6" PVC ASTM D3034 SDR-35 Sanitary (Type B)	275.00	LF		
29	6" PVC ASTM D3034 SDR-35 Sanitary (Type C)	10.00	LF		
30	8" PVC ASTM D3034 SDR-35 Sanitary (Type C)	85.00	LF		
31	12" PVC ASTM D3034 SDR-35 Sanitary (Type B)	635.00	LF		
32	12" PVC ASTM D3034 SDR-35 Sanitary (Type C)	400.00	LF		
33	14" HDPE ASTM F-714 Sanitary (Type B)	40.00	LF		
34	14" HDPE ASTM F-714 Sanitary (Directionally Bored)	155.00	LF		
35	6" on 12" PVC Wye (Heavy Duty)	9.00	EA		
36	6" 22½ Degree PVD Bend (Heavy Duty)	10.00	EA		
37	6" 45 Degree PVC Bend (Heavy Duty)	10.00	EA		
38	8" x 12" Eccentric Reducer	1.00	EA		
39	8" PVC Plug	4.00	EA		
40	12" PVC Plug	3.00	EA		
41	6" Cleanout (with Inverted Cap)	9.00	EA		
42	Flexible Coupling with Stainless Steel Bands (All Sizes)	10.00	EA		
43	Sanitary Sewer Removed (All Sizes)	30.00	LF		
44	Sanitary Sewer Abandoned and Grouted (All Sizes)	340.00	LF		
45	Sanitary Manhole Removed	4.00	EA		
46	Sanitary Manhole Abandoned	1.00	EA		
47	48" Diameter Sanitary Manhole with Standard Cone	5.00	EA		
48	48" Diameter Sanitary Drop Manhole with Standard Cone	1.00	EA		
49	Sanitary Manhole Casting with Gasketed Lid Marked "SANITARY SEWER"	6.00	EA		
50	Connect to Existing Sanitary Manhole	2.00	LF		
51	Sanitary Sewer Televising	1,300.00	LF		
STORM SEWER					
52	6" PVC ASTM D3034 SDR-35 (Storm) Type B	220.00	LF		
53	6" PVC ASTM D3034 SDR-35 (Storm) Type C	10.00	LF		
54	12" PVC ASTM D3034 SDR-35 (Storm) Type B	100.00	LF		

ITEM NO	DESCRIPTION	ESTIMATED QUANTITY	UNIT	UNIT PRICE	TOTAL
55	12" PVC ASTM D3034 SDR-35 (Storm) Type C	10.00	LF		
56	6" on 27" Inserta Tee	6.00	EA		
57	12" on 27" Inserta Tee	4.00	EA		
58	6" 45 Degree PVC Bend	5.00	EA		
59	12" 45 Degree PVC Bend	2.00	EA		
60	6" PVC Plug	7.00	EA		
61	12" PVC Plug	1.00	EA		
62	Flexible Coupling with Stainless Steel Bands (All Sizes)	2.00	EA		
63	Catch Basin Removed	2.00	EA		
64	Storm Manhole Removed	1.00	EA		
65	Storm Manhole Adjusted to Grade	2.00	EA		
66	Storm Manhole Reconstructed to Grade (Add Risers)	1.00	EA		
67	Storm Sewer Removed (All Sizes)	85.00	LF		
68	2-2B Catch Basin (Including Bike Safe Grate)	3.00	EA		
69	2' x 3' Curb Inlet (Including Casting and Bike Safe Grate)	5.00	EA		
70	48" Diameter Storm Manhole (Dog House) with Standard Cone	1.00	EA		
71	Storm Manhole Casting with Vented Lid Marked "STORM SEWER"	3.00	EA		
72	Storm Manhole Casting with Grated Lid	1.00	EA		
73	Connect to Existing Manhole	1.00	EA		
WATE	RLINE	1			
74	8" Inserta Valve	1.00	EA		
75	Remove Existing Fire Hydrant and Install MJ Plug	1.00	EA		
76	Remove Existing Fire Hydrant Re-Use Tee for New Fire Hydrant	1.00	EA		
77	Fire Hydrant and Valve Assembly with Storz Connection (Re-Use Existing Tee)	1.00	EA		
78	Fire Hydrant and Valve Assembly with Storz Connection (Complete)	1.00	EA		
		TO	OTAL:	\$	